



McDonald's[®]

APPROVED MODELS

INTERNATIONAL, EMEA, AUSTRALIA, NEW ZEALAND





Undercounters

TUC-24-HC			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 610	D [†] : 627	H: 802

† Depth does not include 26mm for rear bumpers.

TUC-24F-HC			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS -23°C	W: 610	D [†] : 627	H: 802

† Depth does not include 26mm for rear bumpers.

TUC-24G-HC-FGD01			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 610	D [†] : 627	H: 802

† Depth does not include 26mm for rear bumpers and 42mm for door handles.

TUC-27-HC			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 702	D [†] : 766	H: 839

† Depth does not include 26mm for rear bumpers.

TUC-27F-HC			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS -23°C	W: 702	D [†] : 766	H [†] : 839

† Depth does not include 26mm for rear bumpers.

TUC-27G-HC-FGD01			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 702	D [†] : 766	H [†] : 839

† Depth does not include 26mm for rear bumpers and 42mm for door handles.





Undercounters

TUC-27-LP-HC

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 702	D†: 766	H: 810

† Depth does not include 26mm for rear bumpers.



TUC-27F-LP-HC

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS -23°C	W: 702	D†: 766	H: 810

† Depth does not include 26mm for rear bumpers.



TUC-27G-LP-HC-FGD01

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 702	D†: 766	H: 810

† Depth does not include 26mm for rear bumpers and 42mm for door handles.



TUC-48-HC

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 1229	D†: 766	H: 839

† Depth does not include 26mm for rear bumpers.



TUC-48-LP-HC - AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 1229	D†: 766	H: 810

† Depth does not include 26mm for rear bumpers.



TUC-48G-HC-FGD01 - AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 1229	D†: 766	H: 839

† Depth does not include 26mm for rear bumpers and 42mm for door handles.





Uprights & Reach-ins

TGN-1R-1S - AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 729	D†: 858	H: 2079

† Depth does not include 46 mm for door handle or 13 mm for rear access panel.

TGN-1F-1S- AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS -23°C	W: 729	D†: 858	H: 2079

† Depth does not include 46 mm for door handle or 13 mm for rear access panel.



 Highly Energy Efficient Units (EEC Energy Rating- A on refrigerators/ B on freezers)



Uprights & Reach-ins

T-23-HC			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 686	D [†] : 750	H: 2074

† Depth does not include 13 mm for rear access panel.

T-23-2-HC			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 686	D [†] : 750	H: 2074

† Depth does not include 13 mm for rear access panel.

T-23F-HC-MC			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS -23°C	W: 686	D [†] : 750	H: 2125

† Depth does not include 13 mm for rear access panel.

T-23F-2-HC-MC			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS -23°C	W: 686	D [†] : 750	H: 2125

† Depth does not include 13 mm for rear access panel.

T-23DF-HC - EMEA ONLY			
TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS -23°C	W: 686	D [†] : 750	H: 2074

† Depth does not include 13 mm for rear access panel.





Uprights & Reach-ins

T-35-HC - AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 1004	D†: 750	H: 2074

† Depth does not include 13 mm for rear access panel.



T-35F - AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS -23°C	W: 1004	D†: 750	H: 2074

† Depth does not include 13 mm for rear access panel.



T-49-HC - AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 1375	D†: 750	H: 2074

† Depth does not include 13 mm for rear access panel.



T-49F-HC - AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS -23°C	W: 1375	D†: 750	H: 2074

† Depth does not include 13 mm for rear access panel.



T-49G-HC-FGD01 - AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 1375	D†: 750	H: 2074

† Depth does not include 42 mm for door handle or 13 mm for rear access panel.





Glassdoor Reach-ins

T-15-HC-FGD01

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 632	D [†] : 585	H: 1877

† Depth does not include 13 mm for rear access panel.



T-15-1-G-1-HC-FGD01

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 632	D [†] : 585	H: 1877

† Depth does not include 42 mm for door handle or 13 mm for rear access panel.



T-23G-HC-FGD01

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 686	D [†] : 750	H: 2074

† Depth does not include 42 mm for door handle or 13 mm for rear access panel.



T-23G-2-HC-FGD01

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 686	D [†] : 750	H: 2074

† Depth does not include 42 mm for door handle or 13 mm for rear access panel.



T-23DT-1-G-1-HC-FGD01 - AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C / -23°C	W: 686	D [†] : 750	H: 2074

† Depth does not include 42 mm for door handle or 13 mm for rear access panel.





Glassdoor Reach-ins

GDM-06-34-HC-FGD01

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 519	D [†] : 670	H: 850

† Depth does not include 42 mm for door handle or 13 mm for rear access panel.



GDM-19T-HC-FGD01

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 686	D [†] : 623	H: 1998

† Depth does not include 42 mm for door handle or 13 mm for rear access panel.



GDM-33-HC -LD- EMEA ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 1004	D [†] : 753	H: 1998

† Depth does not include 10 mm for door handle or 13 mm for rear access panel.



GDM-35-HC-FGD01 - AUSTRALIA/NEW ZEALAND ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 1004	D [†] : 759	H: 1998

† Depth does not include 42 mm for door handle or 13 mm for rear access panel.



TSD-09G-HC-LD - EMEA ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C / -23°C	W: 913	D [†] : 532	H: 911

† Depth does not include 42 mm for door handle or 13 mm for rear access panel.





Open Air Curtains

TAC-27K-HC-LD - EMEA ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 686	D†: 740	H: 1915

† Depth does not include 26 mm for rear access panel.

TAC-27K-HC-LD SPN - EMEA ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 686	D†: 740	H: 1915

† Depth does not include 26 mm for rear access panel.

TAC-27K-HC-BFD01 - EMEA ONLY

TEMPERATURE	CABINET DIMENSION (MILIMETER)		
MAINTAINS 0.5°C TO 3.3°C	W: 686	D†: 740	H: 1915

† Depth does not include 26 mm for rear access panel.



Responsible Refrigeration

True has always taken the impact refrigeration has on the climate seriously. We recognise that it is our responsibility to encourage and support our customers in selecting refrigeration products that are both sustainable and environmentally friendly.

At True, we are continually searching out environmentally friendly components and processes that will reduce our carbon footprint. This process encapsulates both our approach to manufacturing as well as our approach to the performance of our equipment.

WARRANTY
PARTS, COMPRESSOR AND LABOUR

5 YEARS
★

Peace of Mind

At True, we believe operators should view the standard warranty offered by a manufacturer as an indicator of their own confidence in the long term viability of their product.

That's why All True products supplied into mainland Europe, UK, Australia and New Zealand are covered, as standard, by a comprehensive 5 Years Parts & Labour Warranty.