



**McDonald's<sup>®</sup>**

APPROVED MODELS  
NORTH AMERICA



# Undercounters

## TUC-27-HC-MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 27 <sup>5</sup> / <sub>8</sub>	D <sup>†</sup> : 30 <sup>1</sup> / <sub>8</sub>	H <sup>*</sup> : 29 <sup>3</sup> / <sub>4</sub>

† Depth does not include 1" for rear bumpers.\* Height does not include 6<sup>1</sup>/<sub>4</sub>" for castors or 6" for optional legs.



## TUC-27F-HC-MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS -10°F	W: 27 <sup>5</sup> / <sub>8</sub>	D <sup>†</sup> : 30 <sup>1</sup> / <sub>8</sub>	H <sup>*</sup> : 29 <sup>3</sup> / <sub>4</sub>

† Depth does not include 1" for rear bumpers.\* Height does not include 6<sup>1</sup>/<sub>4</sub>" for castors or 6" for optional legs.



## TUC-27-HC MCDCF1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 27 <sup>5</sup> / <sub>8</sub>	D <sup>†</sup> : 30 <sup>1</sup> / <sub>8</sub>	H <sup>*</sup> : 29 <sup>3</sup> / <sub>4</sub>

† Depth does not include 1" for rear bumpers.\* Height does not include 6<sup>1</sup>/<sub>4</sub>" for castors or 6" for optional legs.



## TUC-27-LP-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 27 <sup>5</sup> / <sub>8</sub>	D <sup>†</sup> : 30 <sup>1</sup> / <sub>8</sub>	H <sup>*</sup> : 29 <sup>3</sup> / <sub>4</sub>

† Depth does not include 1" for rear bumpers.\* Height does not include 2<sup>1</sup>/<sub>8</sub>" for castors.



## TUC-27F-LP-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS -10°F	W: 27 <sup>5</sup> / <sub>8</sub>	D <sup>†</sup> : 30 <sup>1</sup> / <sub>8</sub>	H <sup>*</sup> : 29 <sup>3</sup> / <sub>4</sub>

† Depth does not include 1" for rear bumpers.\* Height does not include 2<sup>1</sup>/<sub>8</sub>" for castors.



## TUC-27-LP-HC MCDSP1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 27 <sup>5</sup> / <sub>8</sub>	D <sup>†</sup> : 30 <sup>1</sup> / <sub>8</sub>	H <sup>*</sup> : 29 <sup>3</sup> / <sub>4</sub>

† Depth does not include 1" for rear bumpers.\* Height does not include 2<sup>1</sup>/<sub>8</sub>" for castors.





# Worktops

## TWT-27-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 27 <sup>5</sup> / <sub>8</sub>	D <sup>†</sup> : 30 <sup>1</sup> / <sub>8</sub>	H <sup>*</sup> : 33 <sup>3</sup> / <sub>8</sub>

† Depth does not include 1" for rear bumpers.\* Height does not include 6<sup>1</sup>/<sub>4</sub>" for castors or 6" for optional legs.



## TWT-27F-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS -10°F	W: 27 <sup>5</sup> / <sub>8</sub>	D <sup>†</sup> : 30 <sup>1</sup> / <sub>8</sub>	H <sup>*</sup> : 33 <sup>3</sup> / <sub>8</sub>

† Depth does not include 1" for rear bumpers.\* Height does not include 6<sup>1</sup>/<sub>4</sub>" for castors or 6" for optional legs.



## TWT-48-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 48 <sup>3</sup> / <sub>8</sub>	D <sup>†</sup> : 30 <sup>1</sup> / <sub>8</sub>	H <sup>*</sup> : 33 <sup>3</sup> / <sub>8</sub>

† Depth does not include 1" for rear bumpers.\* Height does not include 6<sup>1</sup>/<sub>4</sub>" for castors or 6" for optional legs.



## TWT-48F-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS -10°F	W: 48 <sup>3</sup> / <sub>8</sub>	D <sup>†</sup> : 30 <sup>1</sup> / <sub>8</sub>	H <sup>*</sup> : 33 <sup>3</sup> / <sub>8</sub>

† Depth does not include 1" for rear bumpers.\* Height does not include 6<sup>1</sup>/<sub>4</sub>" for castors or 6" for optional legs.





# Glassdoor Reach-ins/Pass-Troughs

## GDM-07FR-HC-TSL01 MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 24	D†: 24 <sup>3</sup> / <sub>4</sub>	H*: 39 <sup>3</sup> / <sub>4</sub>

† Depth does not include 1«3/8»" for door handle.



## T-23G-PT-HC-FGD01 MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 27	D†: 32 <sup>1</sup> / <sub>8</sub>	H*: 78 <sup>3</sup> / <sub>8</sub>

† Depth does not include 1«3/4»" for glass door handle on each side.\* Height does not include 5«1/8»" for castors.



## T-23PT-HC - CANADA ONLY

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 27	D: 32 <sup>1</sup> / <sub>8</sub>	H*: 78 <sup>3</sup> / <sub>8</sub>

\* Height does not include 5" for castors or 6" for optional legs,





# Uprights & Reach-ins

## T-15-2-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 24 <sup>7</sup> / <sub>8</sub>	D <sup>†</sup> : 23	H <sup>‡</sup> : 71

† Depth does not include 1<sup>3</sup>/<sub>8</sub>" for door handle.\* Height does not include 2<sup>7</sup>/<sub>8</sub>" for castors.



## T-23-HC - CANADA ONLY

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 27	D: 32 <sup>1</sup> / <sub>8</sub>	H <sup>‡</sup> : 78 <sup>3</sup> / <sub>8</sub>

\* Height does not include 5" for castors or 6" for optional legs,



## T-23F-HC - CANADA ONLY

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS -10°F	W: 27	D: 29 <sup>1</sup> / <sub>2</sub>	H <sup>‡</sup> : 78 <sup>3</sup> / <sub>8</sub>

\* Height does not include 5" for castors or 6" for optional legs,



## T-49-HC - CANADA ONLY

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 54 <sup>1</sup> / <sub>8</sub>	D: 29 <sup>1</sup> / <sub>2</sub>	H <sup>‡</sup> : 78 <sup>3</sup> / <sub>8</sub>

\* Height does not include 5" for castors or 6" for optional legs,



## T-49F-HC - CANADA ONLY

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS -10°F	W: 54 <sup>1</sup> / <sub>8</sub>	D: 29 <sup>1</sup> / <sub>2</sub>	H <sup>‡</sup> : 78 <sup>3</sup> / <sub>8</sub>

\* Height does not include 5" for castors or 6" for optional legs,





# Uprights & Reach-ins

## STG1R-2HS-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 27½	D†: 33¾	H*: 78¼

† Depth does not include 1 ½" for door handles.

\* Height does not include 5" for castors, 6" for optional legs, and 1" for system mechanical components.



## STG1F-2HS-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS -10°F	W: 27½	D†: 33¾	H*: 78¼

† Depth does not include 1 ½" for door handles.

\* Height does not include 5" for castors, 6" for optional legs, and 1" for system mechanical components.



## STG2R-4HS-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 52⅝	D†: 33¾	H*: 78¼

† Depth does not include 1 ½" for door handles.

\* Height does not include 5" for castors, 6" for optional legs, and 1" for system mechanical components.



## STG2F-4HS-HC MCD1

TEMPERATURE	CABINET DIMENSION (INCHES)		
MAINTAINS 33°F TO 38°F	W: 52⅝	D†: 33¾	H*: 77¾

† Depth does not include 1 ½" for door handles.

\* Height does not include 6 ¾" (156 mm) for castors or 6" (153 mm) for optional legs.

\* Height does not include 1/4" (7mm) for for system mechanical components.





# Responsible Refrigeration

True has always taken the impact refrigeration has on the climate seriously. We recognise that it is our responsibility to encourage and support our customers in selecting refrigeration products that are both sustainable and environmentally friendly.

At True, we are continually searching out environmentally friendly components and processes that will reduce our carbon footprint. This process encapsulates both our approach to manufacturing as well as our approach to the performance of our equipment.





## Peace of Mind

At True, we believe operators should view the standard warranty offered by a manufacturer as an indicator of their own confidence in the long term viability of their product.

Therefore we offer for Products from True's North American Foodservice divisions and shipped from True's manufacturing facilities, as standard, a comprehensive 7 Years Labour & Parts & Compressor Warranty.