

Confidence in your kitchen

The True difference:

an extensive range of best-in-class products, with solutions for every kitchen.

True products are aimed at energy and environment conscious operators who are serious about food safety and quality, and understand that refrigeration equipment is a core investment of their business. Presented here are a selection of essential products from True's comprehensive food service refrigeration range, each designed and manufactured to provide the operator unrivalled levels of service and reliability.



Our Natural Refrigerant initiative aligns perfectly with operators focused on responsible environmental practices.

True "HC" products provide comparatively quicker temperature recovery and significantly reduce energy consumption.



■ SUPPORT

5 Years Parts & Labour Warranty. We provide premier customer service and after-sale support to our clients locally, for guaranteed peace of mind.

WARRANTY



We are world leaders in commercial refrigeration built on a reputation that every True product must be able to maintain consistent, accurate and safe storage temperatures, even in the most demanding of foodservice environments.





Today, every serious operator has targets around sustainability, including energy management programmes to reduce wastage. By choosing the latest, most efficient equipment available, energy consumption can be considerably reduced.



Disclaimer: «5 Years Parts & Labour Warranty applies to products sold through distributors in Mainland Europe and UK. Standard warranty coverage varies in other regions.»

2/1 GN Upright Cabinets **TGN**



SPECIFICATION & OPTIONS

- 2/1 GN Compatible
- Refrigerator or Freezer
- A Energy Rating on 1 door refrigerator
- Refrigerators maintain holding temperatures of 0.5°C to 3.3°C
- C Energy Rating on freezers
- Leg options available
- RCU Reverse Fan Motor
- Freezers maintain holding temperatures of -23°C

TGN's are True's new 2/1 Gastronorm compatible upright products, **featuring** the latest in energy efficient refrigeration technology.





Sections	1	2				
Product	TGN-1	TGN-2				
Dimensions LxDxH	729 x 858 x 2079	1460 x 858 x 2079				
Net Capacity (Ltrs)	435	883				
Shelves	3	6				

Maximise slide usable space



TGN products **feature a unique "E" shaped slide system** designed to accommodate both a wire shelf and a 2/1 GN pan (or 2x 1/1 GN pans) to make full use of the cabinet net capacity.

Each unit is supplied with 3 pairs of these adjustable slides + 3 shelves.



2/1 GN Upright Cabinets TGN



T-Series Upright Cabinets



SPECIFICATION & OPTIONS

- Wide range of model size and build options available
- 1 to 3 section refrigerator and freezer models
- Refrigerators maintain holding temperatures of 0.5°C to 3.3°C
- Freezers maintain holding temperatures of -23°C
- Split door options

- Adjustable, heavy duty PVC coated shelves
- RCU Reverse Fan Motor on most models
- Glass door options
- Dual temperature model
- Pass thru/ Rear load units

T-Series's are True's original upright refrigeration products, offering the widest range of model sizes and build options to suit any kitchen operation.



Sections			1		2						
Product	T-11	T-15	T-19	T-23	T-35	T-43	T-49				
Dimensions LxDxH	487 x 539 x 1855	632 x 585 x 1877	686 x 623 x 1995	686 x 750 x 2074	1004 x 750 x 2074	1194 x 750 x 2074	1375 x 750 x 2074				
Net Capacity (Ltrs)	186	290	350	438	630	746	914				
Shelves	4	5	4	4	8	8	8				

T-Series cabinets are not 2/1 Gastronorm accepting

Options for every operation



T-15-1-G-1 Split half glass, half solid door refrigerator



T-23DTDual temperature unit featuring separate refrigerator and freezer sections



T-23PT
"Pass Thru" unit with
doors front and back



T-49GGlass door commercial refrigerator




it **truerefrigeration.ch** for more options and sizes from the complete product range





T-Series Upright Cabinets

1/1 GN Counter units TCR/TCF



SPECIFICATION & OPTIONS

- 2 and 3 section counters
- Fridge or freezer models
- Doors standard
- 2 or 3 drawer sections (Refrigerator only)
- Refrigerators maintain holding temperatures of 0.5°C to 3.3°C

- Refrigeration system left or right
- Biscuit top (Unit height 840mm)
- 100mm backsplash option
- RCU Reverse Fan Motor
- Freezers maintain holding temperatures of -18°C to -21°C





Worktop = 1000 mm high Biscuit Top = 840 mm high







Sections	2	3
Product	TCR-1/2	TCR-1/3
Dimensions LxD	1411 x 700	1865 x 700
Net Capacity (Ltrs)	166	249
Shelves	4	6

Build your own

Our counters are highly customisable to fit your operation and application. All together, there are 552 different model permutations to choose from. To make it easier, we have created a straightforward configuration tool available at:



www.truerefrigeration.ch/counter-config/

System	Тор	Sections
Left section	Stainless Steel Countertop	Door
Right section	Biscuit top	2 Drawers (Refrigerators only)
Supplied with 152 mm castors, units are plinth-mountable	Work top (100mm back splash)	3 Drawers (Refrigerators only)



1/1 GN Counter Units TCR/TCF

REFRIGERATION®

Undercounters **TUC**



SPECIFICATION & OPTIONS

- Refrigerator or Freezer models
- Glass doors (refrigerator)
- Drawer options (including freezer model)
- All stainless "Spec" upgrade available
- Available with a "splash back" (TWT models)
- Refrigerators maintain holding temperatures of 0.5°C to 3.3°C

- "Deep" Undercounter models available, featuring side-mounted systems for additional net capacity
- Reduced height castor option
- Reverse Fan Motor on most models
- Freezers maintain holding temperatures of -23°C

TUC's are True's all-purpose undercounter range, featuring a large number of different sizing and build options.









Sections	1			2		3
Product	TUC-24	TUC-27	TUC-36	TUC-48	TUC-60	TUC-72
Dimensions LxDxH	610 x 627 x 802	702 x 766 x 839	924 x 766 x 839	1229 x 766 x 839	1534 x 766 x 839	1839 x 766 x 839
Net Capacity (Ltrs)	94	143	200	278	375	461
Shelves	2	2	4	4	4	6

Options for every operation



TUC-24G Glass door commercial Undercounter refrigerator drawers, also available



TUC-27D-2 1/1 GN pan accepting as a freezer



TUC-67 Deep undercounter unit with side-mounted system for additional capacity



TWT-27 Most Undercounters are available with a 100mm back splash (TWT models)




for more options and sizes from the complete product range





Undercounters TUC

Prep Tables **TPP**



SPECIFICATION & OPTIONS

- 1 (1131mm) to 4 (3029mm) sections wide
- Mix door and drawer options
- Accommodates six to fifteen 1/3 GN pans
- 16 different model options
- "Forced air" refrigerated wells maintain consistent 0.5°C to 5°C temperature range in pans and storage
- All stainless "Spec" upgrade available

Reduce preparation time

TPP's are True's Prep Counters especially designed for pizza, with enhanced refrigerations systems which maintain uniform pan temperatures, keeping quality ingredients fresher for longer.



Sections	1	2	2	3	4
Product	TPP-AT-44	TPP-AT-60	TPP-AT-67	TPP-AT2-93	TPP-AT-119
1/3 GN Pans	6	8	9	12	15
Dimensions LxDxH	1133 x 854 x 1133	1531 x 854 x 1133	1709 x 854 x 1133	2369 x 854 x 1133	3029 x 854 x 1133

RCU Technology



True's patented reversing condenser fan motors periodically spin in reverse to help keep the condenser free from dirt and foodstuffs like flour. Keeping coils clean **optimises the unit's performance**, increasing energy efficiency and prolonging the life of the system.

13



REFRIGERATION

Prep Tables **TSSU**



SPECIFICATION & OPTIONS

- Model Sizes accommodate eight to thirty 1/6 GN pans
- Mix door and drawer options
- "Mega Top" options feature an additional row of configurable pan space
- "Forced air" refrigerated wells maintain consistent temperature in pans and storage
- Reverse Fan Motor on HC models
- Dual-side models feature cutting board on both sides
- Flat lid options

14

- Hydraulic glass lid options
- All stainless "Spec" upgrade available

Are your pan temperatures food safe?



True's **prep table** products use patented air-flow refrigeration systems to maintain a consistent and even 0.5°C to 5°C temperature across ALL pans, ensuring your high quality ingredients remain fresh and safe to consume.







Sections	•	1				3				
Product	TSSU-27		TSSU-36 TSSU-48		U-48	TSSI	J-60	TSSU-72		
1/6 GN Pans	8	12	8	12	12	18	16	24	18	30
Dimensions LxDxH	702 x 766 x 1093	702 x 867 x 1185	924 x 766 x 1093	924 x 867 x 1185	1229 x 766 x 1093	1229 x 867 x 1185	1534 x 766 x 1093	1534 x 867 x 1185	1839 x 766 x 1093	1839 x 867 x 1185
Shelves	2		4		4		-	4	6	

Options for every operation







TSSU-48-12M-B Prep Counter with serve-over space



TSSU-60-24M-B-ST-FGLID Prep Counter with hydraulic glass lid



TSSU-60-24M-B-DS-ST Dual sided unit featuring

removable lids and cutting boards both sides



15

for more options and sizes from the complete product range





Prep Tables TSSU

Refrigerated Equipment Stand **TRCB**



16



- 2 to 6 drawer sections
- Wide variety of hot equipment supported
- Refrigerators maintain holding temperatures of 0.5°C to 3.3°C
- Heavy-duty drawer slides and rollers
- All stainless steel front, top and sides



Sections	•	1		2	3
Product	TRCB-36	TRCB-52	TRCB-72	TRCB-96	TRCB-110
Dimensions LxDxH	924 x 816 x 648	1318 x 816 x 648	1839 x 816 x 648	2426 x 816 x 648	2794 x 775 x 648
Max Support	326 kg	326 kg	492 kg	651 kg	908 kg
# of drawers	2	2	4	4	6
Maximum capacity per drawer	1x 1/1 + 3x 1/6 pans (100mm deep)	3x 1/1 pans (100mm deep)	2x 1/1 pans (100mm deep)	3x 1/1 pans (100mm deep)	2x 1/1 pans (100mm deep)

Depths do not include 26 mm for rear bumpers.

More models available upon request.







Sections	1		2	
Product	TRCB-52-60	TRCB-79-86	TRCB-82-84	TRCB-82-86
Dimensions LxDxH	1524 x 816 x 648	2191 x 755 x 648	2134 x 816 x 648	2191 x 816 x 648
Max Support	326 kg	492 kg	492 kg	492 kg
# of drawers	2	4	4	4
Maximum capacity per drawer	3x 1/1 pans (100mm deep)	2x 1/1 pans (100mm deep)	3 x 1/1 GN Left, 2 x 1/1 GN Right (100mm deep)	3 x 1/1 GN Left, 2 x 1/1 GN Right (100mm deep)

Depths do not include 26 mm for rear bumpers.

More models available upon request.





Refrigerated Equipment Stand TRCB

The Widest Range

Build options



- Refrigerators

UPRIGHT CA		iN-		T-15-		T-19-			_	-23-		
Product				1-15-		1-19-				-23-		
riodace	1R-1S	2R-2S I	HC-LD (G-HC-LD	1-G-1-HC-LD	HC	HC	G-HC~FGD01	2-HC	G-2-HC~FGD01	PT	DT-HC
Build Options											_	\$
Draduat	T-35- T-49-		-									
Product	HC-LD	G~FGD01	HC-LD	G~FGD	01 4-HC							
Build Options												

COUNTER	4 UI	NDERC	OUN	ITERS																
		TCR1/2-CL-SS-							TCR1/3-CL-SS-											
Product	DL-D	R DL-20) DL	-3D 2D)-2D 2	D-3D	3D-3D)	-DR- 2D	DL-DR- 3D	DL-2 2D)L-2D- 3D	DL-2		2D-2 2D		D-2D- 3D	2D-3D- 3D	3D-3D- 3D
Build Options		2 _] 3[<u> </u>		5	6 🗀] [2	3 _	<u> </u>	4 🗀	5 🖸	_]	6 _		7 🗀	8 🗀	9 🗀
	TL	JC-24-		TUC-2	7-	т	JC-	TU	JC-48-					TL	JC-					
Product	НС	G-HC~ FGD01	НС	G-HC~ FGD01		36	44	НС	G-HC~ FGD01	60	60D -2	60D -4	67	67D -4	72	93	93D -2	93D -4	93D -6	
Options					2						2 🗀	4		4			2	4	6	

REFRIGERATED EQUIPEMENT STAND											
Product	TRCB-										
Product	36	52 72		96	110						
Drawer Options	2 🗀	2 🗀	4	4	6 🗀						

	TPP-	AT-44-	TPP-	AT-60-	Т	PP-AT-6	7-		TPP-A	T-93-			TP	P-AT-11	9-		TSSU	U-27-
Product	НС	D-2- HC	НС	D-2- HC	НС	D-2- HC	D-4- HC	93- HC	D-2- HC	D-4- HC	D-6- HC	119- HC	D-2- HC	D-4- HC	D-6- HC	D-8- HC	08	08D
Build Options		2 🗀		2 🗀		2 🗀	4		2 🗀	4	6 🗀		2 🗀	4 🗀	6 🗀	8 🚍		2 _
Dona do da		TSSU-		TSSU- 48-		SU-48 8M-B-		TS	SU-60-			TSSU- -24M-		TSSU -70-		TSSU -30M		
Produit	27-	36- 08	36- 12M-B	12-HC	НС	FGLID -HC	16	16D-2	16D-4	16- DS-ST	ST	ST- FGLID	DS- ST	18	ST	ST- FGLID	DS-ST	
	12M-C	UO	I Z IVI-D			-IIC				וכיכם		I GLID	31			I GLID		



UPRIGHT CABIN	IETS								
Product		TGN-							
Product	19-HC	23F-HC	23F-2-HC	35F	49F-HC	49F-4-HC	72F	1F-1S	2F-2S
Build Options									

COUNTER & UNDERCOUNTERS										
	T	CF1-	TUC-							
Product	2-CL-SS- DL-DR	3-CL-SS- DL-DR-DR	24F-HC	27F-HC	27F-D- 2-HC	48F-HC	60F			
Build Options					2 🚍					

/isit **truerefrigeration.ch** for more options and sizes from the complete product range





EMEA

True International GmbH
Messeplatz 10-12
Level 27
4058 Basel
Switzerland
+41 61 563 07 05

UNITED KINGDOM

True Refrigeration UK Ltd, Fields End Road, Rotherham, S. Yorkshire S63 9EU +44(0) 800 783 2049

AUSTRALIA

True Refrigeration
Australia P/L,
6b Phiney Place.
Ingleburn,
NSW 2565, Australia
+61 2 9618 9999