



Essential
Food Service
Refrigeration

True
REFRIGERATION®

Confidence in your kitchen

The True difference: an extensive range of best-in-class products, with solutions for every kitchen.

True products are aimed at energy and environment conscious operators who are serious about food safety and quality, and understand that refrigeration equipment is a core investment of their business. Presented here are a selection of essential products from True's comprehensive food service refrigeration range, each designed and manufactured to provide the operator unrivalled levels of service and reliability.

SUSTAINABILITY



Our Natural Refrigerant initiative aligns perfectly with operators focused on responsible environmental practices. True "HC" products provide comparatively quicker temperature recovery and significantly reduce energy consumption.

SUPPORT



ALL True products are covered, as standard, by an industry-leading 3 Years Parts & Labour Warranty. We provide premier customer service and after-sale support to our clients locally, for guaranteed peace of mind.

TEMPERATURE



We are world leaders in commercial refrigeration built on a reputation that every True product must be able to maintain consistent, accurate and safe storage temperatures, even in the most demanding of foodservice environments.

ENERGY EFFICIENCY



Today, every serious operator has targets around sustainability, including energy management programmes to reduce wastage. By choosing the latest, most efficient equipment available, energy consumption can be considerably reduced.

Disclaimer: «3 Years Parts & Labour Warranty applies to products sold through distributors in the Middle East. Standard warranty coverage varies in other regions.»

Upright Cabinets

TGN

p.4



T-Series

p.6



Counter & Undercounters

TCR/F

p.8



TUC

p.10



Prep Counters

TPP

p.12



TSSU

p.14



Refrigerated Equipment Stand

TRCB

p.16



2/1 GN Upright Cabinets TGN



SPECIFICATION & OPTIONS

- 2/1 GN Compatible
- Refrigerator or Freezer
- A Energy Rating on 1 door refrigerator
- Refrigerators maintain holding temperatures of 0.5°C to 3.3°C
- C Energy Rating on freezers
- Leg options available
- RCU Reverse Fan Motor
- Freezers maintain holding temperatures of -23°C

WARRANTY 3 YEARS
PARTS, LABOUR AND TRAVEL

2/1 GN Upright Cabinets TGN

TGN's are True's new 2/1 Gastronorm compatible upright products, **featuring the latest in energy efficient refrigeration technology.**



Sections	1	2
Product	TGN-1	TGN-2
Dimensions LxDxH	729 x 858 x 2079	1460 x 858 x 2079
Net Capacity (Ltrs)	435	883
Shelves	3	6

Maximise slide usable space



TGN products **feature a unique “E” shaped slide system** designed to accommodate both a wire shelf and a 2/1 GN pan (or 2x 1/1 GN pans) to make full use of the cabinet net capacity. Each unit is supplied with 3 pairs of these adjustable slides + 3 shelves.



T-Series Upright Cabinets



SPECIFICATION & OPTIONS

- Wide range of model size and build options available
- 1 to 3 section refrigerator and freezer models
- Refrigerators maintain holding temperatures of 0.5°C to 3.3°C
- Freezers maintain holding temperatures of -23°C
- Split door options
- Adjustable, heavy duty PVC coated shelves
- RCU Reverse Fan Motor on most models
- Glass door options
- Dual temperature model
- Pass thru/ Rear load units

WARRANTY 3 YEARS
PARTS, LABOUR AND TRAVEL

T-Series Upright Cabinets

T-Series's are True's original upright refrigeration products, offering the widest range of model sizes and build options to suit any kitchen operation.



Sections	1				2		
Product	T-11	T-15	T-19	T-23	T-35	T-43	T-49
Dimensions LxDxH	487 x 539 x 1855	632 x 585 x 1877	686 x 623 x 1995	686 x 750 x 2074	1004 x 750 x 2074	1194 x 750 x 2074	1375 x 750 x 2074
Net Capacity (Ltrs)	186	290	350	438	630	746	914
Shelves	4	5	4	4	8	8	8

T-Series cabinets are not 2/1 Gastronorm accepting

Options for every operation



T-15-1-G-1
Split half glass,
half solid
door refrigerator



T-23DT
Dual temperature unit featur-
ing separate refrigerator and
freezer sections



T-23PT
"Pass Thru" unit with
doors front and back



T-49G
Glass door
commercial
refrigerator

Visit truerefrigeration.ch

for more options and sizes from the complete product range

True
REFRIGERATION®

1/1 GN Counter units TCR/TCF



SPECIFICATION & OPTIONS

- 2 and 3 section counters
- Fridge or freezer models
- Doors standard
- 2 or 3 drawer sections (Refrigerator only)
- Refrigerators maintain holding temperatures of 0.5°C to 3.3°C
- Refrigeration system left or right
- Biscuit top (Unit height 840mm)
- 100mm backsplash option
- RCU Reverse Fan Motor
- Freezers maintain holding temperatures of -18°C to -21°C

WARRANTY 3 YEARS
PARTS, LABOUR AND TRAVEL

1/1 GN Counter Units TCR/TCF

Height options

Counter top =
900 mm high

Worktop =
1000 mm high

Biscuit Top =
840 mm high



Sections	2	3
Product	TCR-1/2	TCR-1/3
Dimensions LxD	1411 x 700	1865 x 700
Net Capacity (Ltrs)	166	249
Shelves	4	6

Build your own

Our counters are highly customisable to fit your operation and application. All together, there are 552 different model permutations to choose from. To make it easier, we have created a straightforward configuration tool available at:



www.truerefrigeration.ch/counter-config/

System	Top	Sections
 Left section	 Stainless Steel Countertop	 Door
 Right section	 Biscuit top	 2 Drawers (Refrigerators only)
Supplied with 152 mm castors, units are plinth-mountable	 Work top (100mm back splash)	 3 Drawers (Refrigerators only)

True
REFRIGERATION®

Undercounters TUC



SPECIFICATION & OPTIONS

- Refrigerator or Freezer models
- Glass doors (refrigerator)
- Drawer options (including freezer model)
- All stainless “Spec” upgrade available
- Available with a “splash back” (TWT models)
- Refrigerators maintain holding temperatures of 0.5°C to 3.3°C
- “Deep” Undercounter models available, featuring side-mounted systems for additional net capacity
- Reduced height castor option
- Reverse Fan Motor on most models
- Freezers maintain holding temperatures of -23°C

WARRANTY 3 YEARS
PARTS, LABOUR AND TRAVEL

Undercounters TUC

TUC's are True's all-purpose undercounter range, featuring a large number of different sizing and build options.



Sections	1		2			3
Product	TUC-24	TUC-27	TUC-36	TUC-48	TUC-60	TUC-72
Dimensions LxDxH	610 x 627 x 802	702 x 766 x 839	924 x 766 x 839	1229 x 766 x 839	1534 x 766 x 839	1839 x 766 x 839
Net Capacity (Ltrs)	94	143	200	278	375	461
Shelves	2	2	4	4	4	6

Options for every operation



TUC-24G
Glass door commercial
Undercounter refrigerator



TUC-27D-2
1/1 GN pan accepting
drawers, also available
as a freezer



TUC-67
Deep undercounter unit with
side-mounted system for
additional capacity




TWT-27
Most Undercounters are
available with a 100mm
back splash
(TWT models)

Visit truerefrigeration.ch for more options and sizes from the complete product range

True
REFRIGERATION®

Prep Tables TPP



SPECIFICATION & OPTIONS

- 1 (1131mm) to 4 (3029mm) sections wide
- Mix door and drawer options
- Accommodates six to fifteen 1/3 GN pans
- 16 different model options
- “Forced air” refrigerated wells maintain consistent 0.5°C to 5°C temperature range in pans and storage
- All stainless “Spec” upgrade available

WARRANTY 3 YEARS
PARTS, LABOUR AND TRAVEL

Prep Tables TPP


Reduce preparation time

TPP's are True's Prep Counters especially designed for pizza, with enhanced refrigerations systems which maintain uniform pan temperatures, keeping quality ingredients fresher for longer.



Sections	1	2	3	4	
Product	TPP-AT-44	TPP-AT-60	TPP-AT-67	TPP-AT-93	TPP-AT-119
1/3 GN Pans	6	8	9	12	15
Dimensions LxDxH	1133 x 854 x 1133	1531 x 854 x 1133	1709 x 854 x 1133	2369 x 854 x 1133	3029 x 854 x 1133

RCU Technology



True's patented reversing condenser fan motors periodically spin in reverse to help keep the condenser free from dirt and foodstuffs like flour. Keeping coils clean **optimises the unit's performance**, increasing energy efficiency and prolonging the life of the system.

True
REFRIGERATION®

Prep Tables TSSU



SPECIFICATION & OPTIONS

- Model Sizes accommodate eight to thirty 1/6 GN pans
- Mix door and drawer options
- “Mega Top” options feature an additional row of configurable pan space
- “Forced air” refrigerated wells maintain consistent temperature in pans and storage
- Reverse Fan Motor on HC models
- Dual-side models feature cutting board on both sides
- Flat lid options
- Hydraulic glass lid options
- All stainless “Spec” upgrade available

WARRANTY 3 YEARS
PARTS, LABOUR AND TRAVEL

Prep Tables TSSU

Are your pan temperatures food safe?



True's **prep table** products use patented air-flow refrigeration systems to maintain a consistent and even 0.5°C to 5°C temperature across ALL pans, ensuring your high quality ingredients remain fresh and safe to consume.



Sections	1		2				3			
Product	TSSU-27		TSSU-36		TSSU-48		TSSU-60		TSSU-72	
1/6 GN Pans	8	12	8	12	12	18	16	24	18	30
Dimensions LxDxH	702 x 766 x 1093	702 x 867 x 1185	924 x 766 x 1093	924 x 867 x 1185	1229 x 766 x 1093	1229 x 867 x 1185	1534 x 766 x 1093	1534 x 867 x 1185	1839 x 766 x 1093	1839 x 867 x 1185
Shelves	2		4		4		4		6	

Options for every operation



TSSU-27-08D-2
Prep Counter with drawers



TSSU-48-12M-B
Prep Counter with
serve-over space



**TSSU-60-24M-B-
ST-FGLID**
Prep Counter
with hydraulic glass lid



**TSSU-60-24M-B-
DS-ST**
Dual sided unit featuring
removable lids and cutting
boards both sides

Visit truerefrigeration.ch

for more options and sizes from the complete product range



Refrigerated Equipment Stand TRCB



Made of one-piece, heavy-duty, reinforced stainless steel with drip guard. True's drip resistant "V" edge protects against spills.

One section countertop supports equipment up to 908kg. Top is insulated to eliminate heat transfer to interior of cabinet.

Each drawer is equipped with **full perimeter magnetic gaskets.**

Drawers support a wide variety of incremental **pan size configurations.**

Digital control for state of the art temperature precision.

Environmentally friendly R290 hydrocarbon refrigeration system for the best in food preservation.



SPECIFICATION & OPTIONS

- 2 to 6 drawer sections
- Wide variety of hot equipment supported
- Refrigerators maintain holding temperatures of 0.5°C to 3.3°C
- Heavy-duty drawer slides and rollers
- All stainless steel front, top and sides



Refrigerated Equipment Stand TRCB



Sections	1		2		3
Product	TRCB-36	TRCB-52	TRCB-72	TRCB-96	TRCB-110
Dimensions LxDxH	924 x 816 x 648	1318 x 816 x 648	1839 x 816 x 648	2426 x 816 x 648	2794 x 775 x 648
Max Support	326 kg	326 kg	492 kg	651 kg	908 kg
# of drawers	2	2	4	4	6
Maximum capacity per drawer	1x 1/1 + 3x 1/6 pans (100mm deep)	3x 1/1 pans (100mm deep)	2x 1/1 pans (100mm deep)	3x 1/1 pans (100mm deep)	2x 1/1 pans (100mm deep)

Depths do not include 26 mm for rear bumpers.
More models available upon request.



Sections	1	2		
Product	TRCB-52-60	TRCB-79-86	TRCB-82-84	TRCB-82-86
Dimensions LxDxH	1524 x 816 x 648	2191 x 755 x 648	2134 x 816 x 648	2191 x 816 x 648
Max Support	326 kg	492 kg	492 kg	492 kg
# of drawers	2	4	4	4
Maximum capacity per drawer	3x 1/1 pans (100mm deep)	2x 1/1 pans (100mm deep)	3 x 1/1 GN Left, 2 x 1/1 GN Right (100mm deep)	3 x 1/1 GN Left, 2 x 1/1 GN Right (100mm deep)

Depths do not include 26 mm for rear bumpers.
More models available upon request.

True
REFRIGERATION

The Widest Range

Build options



Refrigerators

UPRIGHT CABINETS

Product	TGN-		T-15-			T-19-	T-23-					
	1R-1S	2R-2S	HC-LD	G-HC-LD	1-G-1-HC-LD	HC	HC	G-HC~FGD01	2-HC	G-2-HC~FGD01	PT	DT-HC
Build Options												

Product	T-35-		T-49-		T-72-	
	HC-LD	G~FGD01	HC-LD	G~FGD01	4-HC	72
Build Options						

COUNTER & UNDERCOUNTERS

Product	TCR1/2-CL-SS-						TCR1/3-CL-SS-								
	DL-DR	DL-2D	DL-3D	2D-2D	2D-3D	3D-3D	DL-DR-2D	DL-DR-3D	DL-2D-2D	DL-2D-3D	DL-2D-3D	2D-2D-2D	2D-2D-3D	2D-3D-3D	3D-3D-3D
Build Options		2	3	4	5	6		2	3	4	5	6	7	8	9

Product	TUC-24-		TUC-27-			TUC-		TUC-48-		TUC-									
	HC	G-HC~FGD01	HC	G-HC~FGD01	D-2-HC	36	44	HC	G-HC~FGD01	60	60D-2	60D-4	67	67D-4	72	93	93D-2	93D-4	93D-6
Options					2						2	4		4			2	4	6

REFRIGERATED EQUIPEMENT STAND

Product	TRCB-				
	36	52	72	96	110
Drawer Options	2	2	4	4	6

PREP COUNTERS

Product	TPP-AT-44-		TPP-AT-60-		TPP-AT-67-			TPP-AT-93-				TPP-AT-119-				TSSU-27-		
	HC	D-2-HC	HC	D-2-HC	HC	D-2-HC	D-4-HC	93-HC	D-2-HC	D-4-HC	D-6-HC	119-HC	D-2-HC	D-4-HC	D-6-HC	D-8-HC	08	08D-2
Build Options		2		2		2	4		2	4	6		2	4	6	8		2

Product	TSSU-			TSSU-48-	TSSU-48-18M-B-		TSSU-60-				TSSU-60-24M-B-			TSSU-70-	TSSU-72-30M-B-		
	27-12M-C	36-08	36-12M-B	12-HC	HC	FGLID-HC	16	16D-2	16D-4	16-DS-ST	ST	ST-FGLID	DS-ST	18	ST	ST-FGLID	DS-ST
Options								2	4								

Freezers

UPRIGHT CABINETS

Product	T-							TGN-	
	19-HC	23F-HC	23F-2-HC	35F	49F-HC	49F-4-HC	72F	1F-1S	2F-2S
Build Options									

COUNTER & UNDERCOUNTERS

Product	TCF1-		TUC-				
	2-CL-SS-DL-DR	3-CL-SS-DL-DR-DR	24F-HC	27F-HC	27F-D-2-HC	48F-HC	60F
Build Options					2		

Visit truerefrigeration.ch for more options and sizes from the complete product range



UAE

True Refrigeration Middle
East and Africa FZCO
Office 622, Building 5
East A.
Dubai Airport Free Zone
+971(0)50 515 2259

UNITED KINGDOM

True Refrigeration
UK Ltd,
Fields End Road,
Rotherham, S.
Yorkshire S63 9EU,
+44(0) 800 783 2049

AUSTRALIA

True Refrigeration
Australia P/L,
6b Phiney Place.
Ingleburn,
NSW 2565. Australia,
+61 2 9618 9999

true-ch@truemfg.com

truerefrigeration.ch

True
REFRIGERATION®